

NS-GLSPROTECT100/120/140/160

Transparent safety screen for extra protection at work

With the NS-GLSPROTECT, the workplace can be shielded from the front and side in a durable and stylish way, to create extra safety and distance from others. The series consists of 4 models with different sizes; the NS-GLSPROTECT100, NS-GLSPROTECT120, NS-GLSPROTECT140 and NS-GLSPROTECT160, for 1 m, 1,2 m, 1,4 m and 1,6 m desks, respectively. All models are 65 cm high and 6 mm thick and made of laminated and tempered glass. The tempered glass adds an extra safety aspect to the screens; the transparent film between the two layers of glass increases the resistance and ensures that the glass stays in place and does not shatter, in the extreme case that the glass of the screen should break.

The NS-GLSPROTECT models have rounded corners and edges for extra safety and can be easily attached to the desk with two clamps, offering a durable and stylish solution for the new way of working. The screens come with both white and black clamps as standard. The clamps guarantee a solid and secure installation onto desks with a maximum thickness of 25 mm* and move smoothly with the sit-stand workstation when it is adjusted in height.

The models can be used as desired for both the front and the sides of the desk, to create optimal safety. When mounted to the side of an average desk, the screen protrudes beyond the desk, automatically creating a barrier between the user and any person at the desk next to it. The NS-GLSPROTECT products are 100% recyclable, very user-friendly, easy to install and easy to clean.



Laminated, tempered glass,
100% recyclable

NS-GLSPROTECT100:
NS-GLSPROTECT120:
NS-GLSPROTECT140:
NS-GLSPROTECT160:



9,9 kg
11,9 kg
13,6 kg
15,3 kg



650 mm
650 mm
650 mm
650 mm



1000 mm
1200 mm
1380 mm
1580 mm





8717371448356
8717371448363
8717371448370
8717371448387



*Optional:

For desks with a table top thicker than 25 mm, the NS-CLMP40BLACK and -WHITE clamps are available. With these clamps, the NS-GLSPROTECT100/120/140/160 can be mounted on desks with a work surface of 25-40 mm thick. Also available: NS-CLMPSTANDBLACK and -WHITE table feet.



ALSO INCLUDED:



NS-GLSPROTECT100


NS-GLSPROTECT120

NS-GLSPROTECT140

NS-GLSPROTECT160

NS-GLSPROTECT100/120/140/160

Transparent safety screen



Included:

Clamp set 8-25 mm
NS-CLMP25BLACK (2x)
NS-CLMP25WHITE (2x)




Optional:

Clamp set 25-40 mm
NS-CLMP40BLACK (2x)
NS-CLMP40WHITE (2x)



Table feet clamp set

NS-CLMPSTANDBLACK (2x)
NS-CLMPSTANDWHITE (2x)



NS-GLSPROTECT100

Transparent safety screen for extra protection at work

With the NS-GLSPROTECT, the workplace can be shielded from the front and side in a durable and stylish way, to create extra safety and distance from others. The series consists of 4 models with different sizes; the NS-GLSPROTECT100, NS-GLSPROTECT120, NS-GLSPROTECT140 and NS-GLSPROTECT160, for 1 m, 1,2 m, 1,4 m and 1,6 m desks, respectively. All models are 65 cm high and 6 mm thick and made of laminated and tempered glass. The tempered glass adds an extra safety aspect to the screens; the transparent film between the two layers of glass increases the resistance and ensures that the glass stays in place and does not shatter, in the extreme case that the glass of the screen should break. The NS-GLSPROTECT models can be easily attached to the desk with two clamps and therefore move with the height-adjustable desk. The models can be used as desired for both the front and the sides of the desk, to create optimal safety. When mounted to the side of an average desk, the screen protrudes beyond the desk, automatically creating a barrier between the user and any person at the desk next to it. The NS-GLSPROTECT products are 100% recyclable, very user-friendly, easy to install and easy to clean.

NS-GLSPROTECT100

The NS-GLSPROTECT100 is 1 m wide x 65 cm high and suitable for desks with a maximum thickness of 25 mm*. The screen is made of 6 mm laminated and tempered glass and has rounded corners and edges for extra safety. The screen can be easily installed onto the desk with 2 clamps and offers a durable and stylish solution for the new way of working. The screen comes with both white and black clamps as standard. The clamps guarantee a solid and secure installation onto the desk and move smoothly with the sit-stand workstation when it is adjusted in height.



Laminated, tempered glass,
100% recyclable



9,9 kg



650 mm



1000 mm



8717371448356



*Optional:

For desks with a table top thicker than 25 mm, the NS-CLMP40BLACK and -WHITE clamps are available. With these clamps, the NS-GLSPROTECT100 can be mounted on desks with a work surface of 25-40 mm thick. Also available: NS-CLMPSTANDBLACK and -WHITE table feet.



ALSO INCLUDED:



NS-GLSPROTECT100

OTHER AVAILABLE MODELS:


NS-GLSPROTECT120

NS-GLSPROTECT140

NS-GLSPROTECT160

NS-GLSPROTECT100

Transparent safety screen



Included:

Clamp set 8-25 mm
NS-CLMP25BLACK (2x)
NS-CLMP25WHITE (2x)




Optional:

Clamp set 25-40 mm
NS-CLMP40BLACK (2x)
NS-CLMP40WHITE (2x)



Table feet clamp set

NS-CLMPSTANDBLACK (2x)
NS-CLMPSTANDWHITE (2x)



NS-GLSPROTECT120

Transparent safety screen for extra protection at work

With the NS-GLSPROTECT, the workplace can be shielded from the front and side in a durable and stylish way, to create extra safety and distance from others. The series consists of 4 models with different sizes; the NS-GLSPROTECT100, NS-GLSPROTECT120, NS-GLSPROTECT140 and NS-GLSPROTECT160, for 1 m, 1,2 m, 1,4 m and 1,6 m desks, respectively. All models are 65 cm high and 6 mm thick and made of laminated and tempered glass. The tempered glass adds an extra safety aspect to the screens; the transparent film between the two layers of glass increases the resistance and ensures that the glass stays in place and does not shatter, in the extreme case that the glass of the screen should break. The NS-GLSPROTECT models can be easily attached to the desk with two clamps and therefore move with the height-adjustable desk. The models can be used as desired for both the front and the sides of the desk, to create optimal safety. When mounted to the side of an average desk, the screen protrudes beyond the desk, automatically creating a barrier between the user and any person at the desk next to it. The NS-GLSPROTECT products are 100% recyclable, very user-friendly, easy to install and easy to clean.

NS-GLSPROTECT120

The NS-GLSPROTECT120 is 1,2 m wide x 65 cm high and suitable for desks with a maximum thickness of 25 mm*. The screen is made of 6 mm laminated and tempered glass and has rounded corners and edges for extra safety. The screen can be easily installed onto the desk with 2 clamps and offers a durable and stylish solution for the new way of working. The screen comes with both white and black clamps as standard. The clamps guarantee a solid and secure installation onto the desk and move smoothly with the sit-stand workstation when it is adjusted in height.



Laminated, tempered glass,
100% recyclable



11,9 kg



650 mm



1200 mm




8717371448363



*Optional:

For desks with a table top thicker than 25 mm, the NS-CLMP40BLACK and -WHITE clamps are available. With these clamps, the NS-GLSPROTECT120 can be mounted on desks with a work surface of 25-40 mm thick. Also available: NS-CLMPSTANDBLACK and -WHITE table feet.



ALSO INCLUDED:



NS-GLSPROTECT120

OTHER AVAILABLE MODELS:

NS-GLSPROTECT100


NS-GLSPROTECT140

NS-GLSPROTECT160



NS-GLSPROTECT120

Transparent safety screen



Included:

Clamp set 8-25 mm
NS-CLMP25BLACK (2x)
NS-CLMP25WHITE (2x)




Optional:

Clamp set 25-40 mm
NS-CLMP40BLACK (2x)
NS-CLMP40WHITE (2x)



Table feet clamp set

NS-CLMPSTANDBLACK (2x)
NS-CLMPSTANDWHITE (2x)



NS-GLSPROTECT140

Transparent safety screen for extra protection at work

With the NS-GLSPROTECT, the workplace can be shielded from the front and side in a durable and stylish way, to create extra safety and distance from others. The series consists of 4 models with different sizes; the NS-GLSPROTECT100, NS-GLSPROTECT120, NS-GLSPROTECT140 and NS-GLSPROTECT160, for 1 m, 1,2 m, 1,4 m and 1,6 m desks, respectively. All models are 65 cm high and 6 mm thick and made of laminated and tempered glass. The tempered glass adds an extra safety aspect to the screens; the transparent film between the two layers of glass increases the resistance and ensures that the glass stays in place and does not shatter, in the extreme case that the glass of the screen should break. The NS-GLSPROTECT models can be easily attached to the desk with two clamps and therefore move with the height-adjustable desk. The models can be used as desired for both the front and the sides of the desk, to create optimal safety. When mounted to the side of an average desk, the screen protrudes beyond the desk, automatically creating a barrier between the user and any person at the desk next to it. The NS-GLSPROTECT products are 100% recyclable, very user-friendly, easy to install and easy to clean.


NS-GLSPROTECT140

The NS-GLSPROTECT140 is 1,38 m wide x 65 cm high and suitable for desks with a maximum thickness of 25 mm*. The screen is made of 6 mm laminated and tempered glass and has rounded corners and edges for extra safety. The screen can be easily installed onto the desk with 2 clamps and offers a durable and stylish solution for the new way of working. The screen comes with both white and black clamps as standard. The clamps guarantee a solid and secure installation onto the desk and move smoothly with the sit-stand workstation when it is adjusted in height.



***Optional:**

For desks with a table top thicker than 25 mm, the NS-CLMP40BLACK and -WHITE clamps are available. With these clamps, the NS-GLSPROTECT140 can be mounted on desks with a work surface of 25-40 mm thick. Also available: NS-CLMPSTANDBLACK and -WHITE table feet.



ALSO INCLUDED:



NS-GLSPROTECT140

OTHER AVAILABLE MODELS:

NS-GLSPROTECT100


NS-GLSPROTECT120

NS-GLSPROTECT160



NS-GLSPROTECT140

Transparent safety screen



Included:

Clamp set 8-25 mm
NS-CLMP25BLACK (2x)
NS-CLMP25WHITE (2x)




Optional:

Clamp set 25-40 mm
NS-CLMP40BLACK (2x)
NS-CLMP40WHITE (2x)



Table feet clamp set

NS-CLMPSTANDBLACK (2x)
NS-CLMPSTANDWHITE (2x)



NS-GLSPROTECT160

Transparent safety screen for extra protection at work

With the NS-GLSPROTECT, the workplace can be shielded from the front and side in a durable and stylish way, to create extra safety and distance from others. The series consists of 4 models with different sizes; the NS-GLSPROTECT100, NS-GLSPROTECT120, NS-GLSPROTECT140 and NS-GLSPROTECT160, for 1 m, 1,2 m, 1,4 m and 1,6 m desks, respectively. All models are 65 cm high and 6 mm thick and made of laminated and tempered glass. The tempered glass adds an extra safety aspect to the screens; the transparent film between the two layers of glass increases the resistance and ensures that the glass stays in place and does not shatter, in the extreme case that the glass of the screen should break. The NS-GLSPROTECT models can be easily attached to the desk with two clamps and therefore move with the height-adjustable desk. The models can be used as desired for both the front and the sides of the desk, to create optimal safety. When mounted to the side of an average desk, the screen protrudes beyond the desk, automatically creating a barrier between the user and any person at the desk next to it. The NS-GLSPROTECT products are 100% recyclable, very user-friendly, easy to install and easy to clean.


NS-GLSPROTECT160

The NS-GLSPROTECT160 is 1,58 m wide x 65 cm high and suitable for desks with a maximum thickness of 25 mm*. The screen is made of 6 mm laminated and tempered glass and has rounded corners and edges for extra safety. The screen can be easily installed onto the desk with 2 clamps and offers a durable and stylish solution for the new way of working. The screen comes with both white and black clamps as standard. The clamps guarantee a solid and secure installation onto the desk and move smoothly with the sit-stand workstation when it is adjusted in height.



***Optional:**

For desks with a table top thicker than 25 mm, the NS-CLMP40BLACK and -WHITE clamps are available. With these clamps, the NS-GLSPROTECT160 can be mounted on desks with a work surface of 25-40 mm thick. Also available: NS-CLMPSTANDBLACK and -WHITE table feet.



ALSO INCLUDED:



NS-GLSPROTECT160

OTHER AVAILABLE MODELS:

NS-GLSPROTECT100


NS-GLSPROTECT120

NS-GLSPROTECT140



NS-GLSPROTECT160

Transparent safety screen



Included:

Clamp set 8-25 mm
NS-CLMP25BLACK (2x)
NS-CLMP25WHITE (2x)



Optional:

Clamp set 25-40 mm
NS-CLMP40BLACK (2x)
NS-CLMP40WHITE (2x)



Table feet clamp set

NS-CLMPSTANDBLACK (2x)
NS-CLMPSTANDWHITE (2x)

